

Fussball WM überall gucken können - mit den Trevi TVs kein Problem

Kein Raum ohne Fussball. Kein WM-Tor verpassen. Darum Fernseher in:
Garage, Hobbyraum, Schlafzimmer, Balkon, Toilette, Bad , Kinderzimmer, Veranda, Wohnwagen, Küche



WM 2018 Lifestyle technology **trevi**

MULTISYSTEM UHD 50"
SAT / DVB-S2 / CI SLOT / USB

UHD 5002 SMART



SMART TV
4K ULTRA HD

4K ULTRA HD

RICEVITORE TV SATELLITARE DVB-S/S2

SMART TV CI+DVB

- OS Android 6.0 Marshmallow
- Internal memory 8GB - RAM 1GB
- Internet connections LAN RJ45 o WI-FI 802.11 b/g/n
- LED display 50" (127 cm diagonal) 16:9
- Backlight D-LED
- Digital Satellite Receiver DVBS2 MPEG2 / MPEG4
- Digital Terrestrial DVBT2 MPEG2 / MPEG4
- Codec H.265 / HEVC
- Brightness 220 cd/m² / Contrast 4000:1
- Common interface slot CI+
- 3 HDMI inputs / USB input
- Ingresso Scart, Mini Audio/Video, Mini Y/Pb/Pr
- VGA + audio PC input
- Coaxial audio output / Headphone socket
- Remote control
- Max power consumption: 150W / Stand-by: <0.5W
- Power supply: 110-240V ~ 50/60Hz



3xHDMI
ingresso HDMI



MULTISYSTEM LED 40"

SAT / DVBT T2 / DVBS S2 / HEVC

LTV 4005 SAT



H.265
HEVC



- Tuner HD DVBT-T2 for receive free DVBT MPEG-2, MPEG-4 HD with H.265 coded
- TV receiver for Digital Satellite System DVB-S2 MPEG2/MPEG4 to view channels "free air"
- TV receiver for the traditional analogue system
- LED LCD 40" (100 cm), 16:9
- D-LED-backlit
- Max resolution 1920x1080 dpi Full HD ready
- Brightness 250 cd/m²
- Contrast 5000:1
- HOTEL function (block sources, channels and volume)
- CI+ connection Common Interface CAM HD - CAM SAT HD/ Pay per View in HD
- Remote control full functions
- Tivùsat compatible
- TELETEXT function
- SLEEP function Auto-off
- Media player video, mp3, jpeg, txt
- 3 HDMI Input, USB 2.0 input
- SCART, mini-Y/Pb/Pr jack, mini-Audio/Video inputs
- VGA/PC Audio input
- Headphone jack and coaxial outputs
- VESA 200x200 Wall Mount
- Power supply 110-240V 50/60Hz
- Size with base: 886 (L) x 570 (A) x 230 (P)mm
- Size without base: 886 (L) x 515 (A) x 93(P)mm
- Weight: 9,3 Kg

MULTISYSTEM LED 39"

SAT / DVB-S2 / CI SLOT / USB

LTV 4003 SAT



TV Digitale Terrestre HD in alta definizione



3xHDMI
ingresso HDMI



- Tuner HD DVBT-T2 for receive free DVBT MPEG-2 and MPEG-4 in high definition HD codec H.265
- TV receiver for Digital Satellite System DVB-S2 MPEG2/MPEG4 to view channels "free air"
- LED display 39" (98 cm), 16:9 D-LED-backlit high-brightness
- HOTEL function (block sources, channels and volume)
- Resolution max 1366x768
- Brightness: 230 cd/m²
- Contrast: 3000:1
- CI+ connection Common Interface CAM HD - CAM SAT HD Pay per View in HD
- Remote control full functions
- TELETEXT function
- SLEEP function auto-on off
- 3 HDMI Input, USB 2.0 input
- SCART inputs, mini-Y/Pb/Pr jack, mini-Audio/Video / VGA
- PC Audio
- Headphone jack audio output and digital coaxial
- Power supply: 110-240V 50/60Hz
- Standard VESA 200 x 200
- Size with base: 892 (L) x 555 (A) x 215 (P) mm
- Size without base: 892 (L) x 515 (A) x 93 (P)mm
- Weight: 6,6 Kg

MULTISYSTEM Led 32"

SAT / DVBT T2 / DVBS S2 / HEVC

LTV 3205 SAT



- Tuner HD DVBT-T2 for receive free DVBT MPEG-2, MPEG-4 HD with H.265 coded
- TV receiver for Digital Satellite System DVB-S2 MPEG2/MPEG4 to view channels "free air"
- TV receiver for the traditional analogue system
- LCD 32" (81 cm), 16:9
- D-LED-backlit
- Max resolution 1366x678 dpi HD ready
- Brightness 200 cd/m²
- Contrast 3000:1
- HOTEL function (block sources, channels and volume)
- CI+ connection Common Interface CAM HD - CAM SAT HD/ Pay per View in HD
- Remote control full functions
- TELETEXT function
- SLEEP function Auto-off
- Media player video, mp3, jpeg, txt
- 3 HDMI Input, USB 2.0 input
- SCART, mini-Y/Pb/Pr jack, mini-Audio/Video inputs
- VGA/PC Audio input
- Headphone jack and coaxial outputs
- VESA 100x100 Wall Mount
- Glossy black
- Power supply 110-240V 50/60Hz
- Size with base: 730 (L) x 477 (A) x 165 (P)mm
- Size without base: 730 (L) x 435 (A) x 84(P)mm
- Weight: 5,5 Kg

MULTISTSTEM Led 24"

SAT / DVBT T2 / DVBS S2 / HEVC

LTV 2401 SAT



- Tuner HD DVBT-T2 for receive free DVBT MPEG-2, MPEG-4 HD with H.265 coded
- TV receiver for Digital Satellite System DVB-S2 MPEG2/MPEG4 to view channels "free air"
- TV receiver for the traditional analogue system
- LCD 24" (60 cm), 16:9
- D-LED-backlit
- Max resolution 1366x678 dpi HD ready
- Brightness 180 cd/m²
- Contrast 1000:1
- HOTEL function (block sources, channels and volume)
- CI+ connection Common Interface CAM HD - CAM SAT HD / Pay per View in HD
- Remote control full functions
- TELETEXT function
- SLEEP function Auto-off
- Media player video, mp3, jpeg, txt
- HDMI Input, USB 2.0 input
- SCART, mini-Y/Pb/Pr jack, mini-Audio/Video inputs
- VGA/PC Audio input
- Headphone jack and coaxial outputs
- VESA 100x100 Wall Mount
- Glossy black
- Double power supply 110-240V 50/60Hz 12V with car adapter
- Size with base: 556 (L) x 371 (A) x 176 (P)mm
- Size without base: 556 (L) x 334 (A) x 78 (P)mm
- Weight: 2,5 Kg

LED TV MULTISYSTEM 20"

SAT . DVB-T2 . DVS-S2 . HEVC H.265

LTV 2001 SAT



HDMI

- Tuner HD DVBT-T2 to receive free DVBT MPEG2 and MPEG4 in high definition HD codec H.265
- TV receiver Digital Satellite DVBS-S2
- TV receiver analogic system
- LED display 20" (49 cm), 16:9 LED
- Resolution max 1366x768 dpi
- CI+ Common Interface CAM HD - CAM SAT HD / Pay per View HD
- HOTEL function (external block source, channel, volume)
- SLEEP function automatic turn-off
- TELETEXT
- HDMI / Audio-Video output
- USB 2.0 input
- Video input: HDMI SCART / Mini Audio-Video / mini Y-Pb-Pr / VGA Audio PC
- Output digital coaxial / Headphone socket
- VESA 100x100 wall mount
- Double power supply
- 110-240V 50/60Hz Car adapter 12V 3A included
- Dimensions: 462 (L) x 273 (A) x 80 (P) mm
- Dimensions with stand: 462 (L) x 307 (A) x 163 (P) mm
- Weight: 1,75 Kg

MULTISTSTEM Led 19"

SAT / DVBT T2 / DVBS S2 / HEVC

LTV 1902 SAT



H.265
HEVC

Codec

HDMI

Ingresso HDMI



Ingresso
USB 2.0



- Tuner HD DVBT-T2 for receive free DVBT MPEG-2, MPEG-4 HD with H.265 coded
- TV receiver for Digital Satellite System DVBS-S2
- TV receiver for the traditional analogue system
- LCD 19" (47 cm), 16:9
- HOTEL function (block sources, channels and volume)
- CI+ Common Interface CAM HD - CAM SAT HD/ Pay per View in HD
- Remote control full functions
- SLEEP function Auto-off
- TELETEXT function
- Max resolution 1366x768 dpi HD ready
- Brightness 200 cd/m²; Contrast 1000:1
- Media player video, mp3, jpeg, txt
- HDMI Input, USB 2.0 input
- SCART, mini-Y/Pb/Pr jack, mini-Audio/Video inputs
- VGA/PC Audio input
- Headphone jack and coaxial audio outputs
- VESA 100x100 Wall Mount
- Glossy black with light frame
- Double power supply 110-240V 50/60Hz 12V 3A with car adapter
- Size with base: 437 (L) x 289 (A) x 139 (P)mm
- Size without base: 437 (L) x 262 (A) x 51(P)mm
- Weight: 2,15 Kg

COMBO Led 19"

DVBT T2 / HEVC H.265

LTV 1906 HDVD



- Tuner HD DVBT-T2 for receive free DVBT MPEG-2, MPEG-4 HD with H.265 coded
- TV receiver for the traditional analogue system
- LCD 19" (48 cm), 16:9
- LED-backlit
- DVD / MPEG-4 player
- Max resolution 1366x768 dpi HD ready
- Brightness 250 cd/m²
- Contrast 1000:1
- HOTEL function (block sources, channels and volume)
- CI+ Common Interface CAM HD - CAM SAT HD/ Pay per View in HD
- Remote control full functions
- TELETEXT function; SLEEP function Auto-off
- Media player video, mp3, jpeg, txt
- HDMI Input, USB 2.0 input
- SCART, mini-Y/Pb/Pr jack, mini-Audio/Video inputs
- VGA/PC Audio input
- Headphone jack and coaxial outputs
- VESA 100x100 Wall Mount
- Glossy black
- Double power supply 110-240V 50/60Hz 12V 3A with car adapter
- Size with base: 440 (L) x 306 (A) x 146 (P)mm
- Size without base: 444 (L) x 271 (A) x 47 (P)mm
- Weight: 2,55 Kg



MULTISTSTEM Led 16"

SAT / DVB-T2 / DVB-S2 / HEVC

LTV 1601 SAT



- Tuner HD DVBT-T2 for receive free DVBT MPEG-2, MPEG-4 HD with H.265 coded
- TV receiver for Digital Satellite System DVB-S2 MPEG2/MPEG4 to view channels "free air"
- TV receiver for the traditional analogue system
- LCD 16" (40 cm), 16:9
- Max resolution 1366x678 dpi HD ready
- Brightness 200 cd/m²
- Contrast 500:1
- HOTEL function (block sources, channels and volume)
- CI+ Common Interface CAM HD - CAM SAT HD/ Pay per View in HD
- Remote control full functions
- TELETEXT function; SLEEP function Auto-off
- Media player video, mp3, jpeg, txt
- HDMI Input, USB 2.0 input
- SCART, mini-Y/Pb/Pr jack, mini-Audio/Video inputs
- VGA/PC Audio input
- Headphone jack and coaxial outputs
- VESA 75x75 Wall Mount
- Glossy black
- Double power supply: 12V with car adapter
- Size with base: 374 (L) x 275 (A) x 120 (P)mm
- Size without base: 374 (L) x 244 (A) x 46 (P)mm
- Weight: 1,25 Kg



LED TV PORTATILE 10.1"

DVB-T2 . HEVC H.265 / USB / 3 ALIMENTAZIONI

LTV 2010 HE



- Tuner HD DVBT-T2 to receive free DVBT MPEG2 and MPEG4 in high definition HD codec H.265
- LCD display 10.1" (25.6 cm), 16:9 LED-backlit high-brightness
- Resolution max 1024x600 dpi
- HDMI / Audio-Video output
- USB 2.0 input
- Headphone output
- Remote control full functions
- 3 Power supply: 9-12V 1,5A with power supply 110-240V 50/60Hz
Car adapter 12V; Rechargeable lithium battery
- Dimensions: 245 (L) x 158 (A) x 24 (P)mm
- Weight: 0,55 Kg

HD-T2 HEVC
ALTA DEFINIZIONE



TV Digitale Terrestre HD in alta definizione



Ingresso USB 2.0



SMART TV BOX
4K INTERNET TV
IP 365 S3



Mouse wireless

BLUETOOTH FUNCTION (Android devices compatible) for connection to smartphones and tablets, transfer multimedia files, wireless speakers and headphones with Bluetooth



MEDIA PLAYER

Audio: Mp3, Wma, Wav, Aac
Video: Avi, Mkv, Mp4, Mpg, Rm, Rmvb, Wmv
Photo: Jpeg, Bmp, Gif, Png



4K INTERNET TV

- Turn the TV with HDMI socket into a Smart TV, allowing connection and browsing the Internet view files in 4K
- Mouse wireless function/navigation control
- Video 4K / 2K ULTRA HD with codec H.265 support
- Browse on Internet by Wi-Fi and LAN
- Supports Flash Player 11.1



Function control / navigation by remote control

EXTENSION DISPLAY

- Allows you to duplicate the display of Smartphone and Tablet screen TV
- Real-time display and wireless, all that shows the device display: internet, photos, videos, email, games
- AirPlayer compatible with Apple devices (It can be closed to continuous updates sw iOS)
- Viewing images and video from APPLE smartphones

QUICK NAVIGATION

- ARM Cortex A53 QUAD CORE 64 bit, 1GB RAM
- 8GB internal memory
- External memory slot for micro SD card up to 32GB
- Connected all TV with HDMI input
- Connecting to external devices via USB 2.0 jacks (x2)
- Power supply: 5V 2A adapter 110-240V 50/60Hz
- Accessories included: Remote Control, Power Supply 5V 2A Instruction Manual
- Dimensions: 120 x 120 x 23 mm Weight: 124 g



Micro SD card / 2 x USB 2.0 / AV



Optical / LAN / PC-USB

The NEW 2018 Trevi Catalogue: www.new-tech-products.com/support/TREVI_Katalog_English_2018_small.pdf

Trevi UHD 5002 SMART

Price: 699,00 EURO (UVP, inkl. MwSt.)
EAN: 8011000021454

Trevi LTV 4005 SAT

Price: 449,00 EURO (UVP, inkl. MwSt.)
EAN: 8011000021799

Trevi LTV 4003 SAT

Price: 419,00 EURO (UVP, inkl. MwSt.)
EAN: 8011000019376

Trevi LTV 3205 SAT

Price: 299,00 EURO (UVP, inkl. MwSt.)
EAN: 8011000020242 white
EAN: 8011000020808 black

Fussball WM überall gucken können - mit den Trevi TVs kein Problem

Trevi LTV 2401 SAT

Price: 229,00 EURO (UVP, inkl. MwSt.)

EAN: 8011000017174 white
EAN: 8011000017167 black

Trevi LTV 2001 SAT

Price: 209,00 EURO (UVP, inkl. MwSt.)

EAN: 8011000020396 white
EAN: 8011000020389 black

Trevi LTV 1902 SAT

Price: 189,00 EURO (UVP, inkl. MwSt.)

EAN: 8011000017341

Trevi LTV 1906 HDVD

Price: 219,00 EURO (UVP, inkl. MwSt.)

EAN: 8011000017471

Trevi LTV 1601 SAT

Price: 179,00 EURO (UVP, inkl. MwSt.)

EAN: 8011000021065

Trevi LTV 2010 HE

Price: 169,00 EURO (UVP, inkl. MwSt.)

EAN: 8011000018607

Trevi IP 365 S3

Price: 89,90 EURO (UVP, inkl. MwSt.)

EAN: 8011000019239

Please send your orders to: auftragsbearbeitung@ntp-gmbh.com

All prices are plus statutory VAT

Interested in more?

And here you can see the overview of the NTP-Assortments:

www.new-tech-products.com/products/pdf/NTP-Products-Overview.pdf

