

# WATCHDOG OD-XLT

## SEARCH & RESCUE LONG THROW LIGHT

### CAN ALSO WORK AS BATON ("2 In 1")

DUAL SWITCH SYSTEM 

MAGNETIC CHARGING SYSTEM 

DUAL LIGHT SOURCES SYSTEM (FOCUSED/DIFFUSED LIGHT)

MULTI-COLOR OUTPUT 



**1050M**  
**2300LM**

NO HASSLE  
LIFETIME WARRANTY

NEW  
MAGNETIC CHARGING SYSTEM

POWER TAC

WATCHDOG OD-XLT SEARCH & RESCUE SERIES  
2300 lumens | 1050m

### LOW PROFILE OUTLINE DESIGN EASY TO OPERATE



- Magnetic Charging Port
- Tail Cap
- Battery Tube
- Power Switch/Low Battery Indicator
- Mode Change
- Head

POWER TAC

WATCHDOG OD-XLT SEARCH & RESCUE SERIES  
2300 lumens | 1050m



**EXTREMELY HIGH OUTPUT: 2300LM**  
**LONG DISTANCE: 1050M**

POWER TAC

WATCHDOG OD-XLT SEARCH & RESCUE SERIES  
2300 lumens | 1050m

### AMAZING LONG RUNTIME LOW MODE: 10 LM/14 DAYS



POWER TAC

WATCHDOG OD-XLT SEARCH & RESCUE SERIES  
2300 lumens | 1050m

### LIFETIME: ≥ 50000HRS

(1) White Focused Light:  
Cree XHP35 HI White LED

(2) Color Diffused Light:  
White: Cree XQE-R3  
RED: Cree XQE-RED  
Green: Cree XQE-Green  
Blue: Cree XQE-Blue



POWER TAC

WATCHDOG OD-XLT SEARCH & RESCUE SERIES  
2300 lumens | 1050m

### UNIQUE DIGITAL CIRCUIT TECHNOLOGY

Unique LED Driving System:  
Intelligent High Output Technology.  
Unique Thermal Protection System  
Dual Switch System  
Over Current Protection  
Over Charging Protection  
Over Discharging Protection  
Reverse Polarity Protection



POWER TAC

WATCHDOG OD-XLT SEARCH & RESCUE SERIES  
2300 lumens | 1050m

### MAGNETIC CHARGING SYSTEM EASY TO USE, CONVENIENT



MAGNETIC CHARGING PORT

RED: BATTERY OVERCHARGED FULL  
BLUE: BATTERY OVERCHARGED FULL



**Perfect Size: Can work as Baton**

**Size:**  
 Head Diameter: 80mm  
 Body Diameter: 37.4mm  
 Length: 267.3mm  
 Weight: 888g(Battery Included)



**IPX8** Waterproof  
(2m submersible)



**NO HASSLE  
LIFETIME WARRANTY**

**WATCHDOG OD-XLT.  
SEARCH & RESCUE SERIES**  
2300 lumens | 1050m



Law Enforcement



Outdoor



Police



Hunting



Military

White Focused Light						
ANSI/NEMA FL1	FL 1 STANDARD 000 LUMENS	FL 1 STANDARD 00h	FL 1 STANDARD 0000cd	FL 1 STANDARD 000m	FL 1 STANDARD 0m	FL 1 STANDARD 00m
Mode	Max Output	Run Time	Beam Intensity	Beam Distance	Impact Resistant	Water Resistant
		32650-6500mAh(3.6V)*2 Built-in Li-ion Battery Pack				
High	2300LM	2.96HRS	275625CD	1050M	2 M	IPX8
Medium	760LM	5.32HRS				
Low	160LM	28.4HRS				
Firefly	10 LM	14 DAYS				
Strobe	2300LM	6HRS				
SOS	2300LM	6HRS				
Color Diffused Light						
	White	Red	Green	Blue		
	180 LM/12 HRS	50 LM/630nm/14 HRS	140 LM/530nm/12 HRS	30 LM/460nm/12 HRS		

LED Type	Cree XHP35 Hi LED, Cree XQE-R3/RED/Green/Blue LED, up to 50000 hours lifetime
LED Color Temperature	6500k
Working Voltage	5,5V-8,4V
Battery Type	Customized 2*32650-6500mAh Li-Ion Battery Pack
Reflector	Mirror Reflector
Lens	Tempered Glass with Double Coating
Switch	Dual Switch System
Dimensions	80mm(Head Dia.) * 37.4mm(Body Dia.)*287.3mm(L)
Weight	888g(Battery Included)
Material	6061-T6 Aircraft Aluminum
Surface Treatment	Mil-Spec HAIII Anodizing
Waterproof	IPX8
Impact Resistance	2m

## ACCESSORIES INCLUDED



AC Charger



Notice Card



PowerTac Stickers



Registration Card



WATCHDOG OD-XLT

# WATCHDOG OD-XLT®

## PowerTac Watchdog

Price: **249,00 EURO** (UVP, inkl. MwSt.)

Details Watchdog: [www.new-tech-products.com/support/Powertac\\_Watchdog.pdf](http://www.new-tech-products.com/support/Powertac_Watchdog.pdf)

Details Powertac: [www.new-tech-products.com/support/Powertac\\_2019\\_catalog\\_small.pdf](http://www.new-tech-products.com/support/Powertac_2019_catalog_small.pdf)

Please send your orders to: [auftragsbearbeitung@ntp-gmbh.com](mailto:auftragsbearbeitung@ntp-gmbh.com)

All prices are plus statutory VAT

Interested in more?

Here you can see an overview of the NTP-Assortments:

[www.new-tech-products.com/products/pdf/NTP-Products-Overview.pdf](http://www.new-tech-products.com/products/pdf/NTP-Products-Overview.pdf)

