



Trevi T-Fit 210 HB

- PPG Technology (Plethysmography sensor)
- Detection of heart rate, blood pressure, blood oxygenation, steps, burned calories, distance, sleep
- Smartphones connection for App data management
- Notification of calls and social media messages
- Water resistant IP67
- Rechargeable Lithium battery / Bluetooth
- Compatible with iOS 8, Android OS 5.1 or above
- **Heart rate**
- **Blood pressure**
- **Burned calories**
- **Oxygenation**
- **Social notification**
- **Sleep monitoring**





Trevi T-Fit 220 HB

- PPG Technology (Plethysmography sensor)
- Detect, stores 7 data: Heart rate, Steps, Burned calories, Distance tracking
- It connects with smartphones for data management App DaFit
- Direct display data on LCD colours high brightness
- Sleeping monitor-Notification for calling and social media
- Camera shooting with wrist movement through
- Notifications with vibration for reaching sport target
- Water resistant IP67
- Lithium battery rechargeable on the USB port
- Bluetooth 4.0
- Compatible with iOS 8, Android OS 4.4
- **Heart rate**
- **Burned calories**
- **Pedometer**
- **Social notification**
- **Sleep monitoring**



Trevi T-Fit 210 HB

Price: 23,70 Euro (HEK)

EAN: 8011000024684

Delivery Time: ca. 1 Week

Trevi T-Fit 220 HB

Price: 28,20 Euro (HEK)

EAN: 8011000024899 black

EAN: 8011000024929 pink

Delivery Time: ca. 1 Week

Ganzer Katalog von Trevi: www.new-tech-products.com/support/TREVI_Catalogue_2020_Aug2020.pdf

Please send your orders to: auftragsbearbeitung@ntp-gmbh.com

All prices are plus statutory VAT

Interested in more?

Here you can see an overview of the NTP-Assortments:

www.new-tech-products.com/products/pdf/NTP-Products-Overview.pdf



Best Regards

Rolf Olejniczak-Burkert
New-Tech-Products Handels GmbH

Phone : +49 (0) 7308 / 811 00 - 0 (Zentrale)

Fax : +49 (0) 7308 / 811 00 - 19

www.new-tech-products.com

Nersinger Straße 14-16 • 89275 Elchingen • Germany
Sitz Ulm - HRB 4496 Amtsgericht Ulm
Geschäftsführer: Rolf Olejniczak-Burkert

UST-IDNr.: DE813398643

Should you (%Email%) no longer need this Email-Newsletter,
just reply with [REMOVE](#) in the subject line.